

Product Name:	Eco-Tuff Rubberized Non Skid Coating	Product Code:	ET2-6000
Emergency Phone #:	1(877)366-7547	MSDS #:	MSDS.ET2.0409.3

Eco Safety Products

2921 W. Culver Street, #4B
Phoenix, Arizona 85009 U.S.A.
www.ecoprocoat.com
T: (602)305-9397 F: (602)305-6431

Health	1
Fire	0
Reactivity	0
Protection	

I. Identification

Chemical Name:	Eco-Tuff Rubberized Non Skid Coating
Chemical Family:	W.B. Acrylic-Urethane
Chemical Formula:	Trade Secret
DOT Information:	Not Regulated.
Notes:	No known chemical compounds listed as carcinogens under OSHA, ACGIH, NTP, IARC, California Prop 65, or Other.

II. Composition Information on Ingredients

Designation	%	CAS #	PEL(PPM)	TLV(PPM)	NIOSH REL
Acrylic-Urethane Mixture	31-60%	Proprietary Mixture	Not Listed	Not Listed	Not Listed
Water	31-60%	7732-18-5	Not Listed	Not Listed	Not Listed
N-Methyl Pyrrolidone	.25-.50%	872-50-4	Not Listed	Not Listed	Not Listed
Triethylamine	.25-.50%	121-44-8	25 ppm (100 mg/m ³)	25 ppm (100 mg/m ³)	Not Listed
Rubber Crumb	10-29%				
Pigments & Plasticizers	1-9%				
Thickeners	1-9%				

III. Hazards Identification

SPECIAL NOTE: MSDS data pertains to the product as dispensed from the container. Adverse health effects would not be expected under recommended conditions of use so long as prescribed safety precautions are practiced.

ACUTE EFFECTS OF OVEREXPOSURE: This product may be an eye and skin irritant. Contact with eye tissue may produce pain, watering, and/or burning sensation. Prolonged skin contact may irritate the skin. Ingestion of an excessive amount of the product may cause complications.

Eye Contact:	Keep product out of eyes.
Skin Contact:	Mild skin irritation is possible.
Inhalation:	No known effects on inhalation, however, avoid inhalation.
Ingestion:	Do not ingest. May result in abdominal discomfort, nausea, and diarrhea.

IV. First Aid Measures

Eye Contact:	Immediately flush eyes with plenty of water for at least 15 minutes. If irritation develops, consult a physician.
Skin Contact:	Flush contaminated skin with plenty of water. Consult a physician if irritation develops.
Inhalation:	Move exposed person to fresh air. If irritation persists, get medical attention promptly.
Ingestion:	Do not induce vomiting. If victim is conscious give plenty of water or milk to drink. Get medical attention immediately.

Product Name:	Eco-Tuff Rubberized Non Skid Coating	Product Code:	ET2-6000
Emergency Phone #:	1(877)366-7547	MSDS #:	MSDS.ET2.0409.3
Eco Safety Products 2921 W. Culver Street, #4B Phoenix, Arizona 85009 U.S.A. www.ecoprocoat.com T: (602)305-9397 F: (602)305-6431	Health	1	
	Fire	0	
	Reactivity	0	
	Protection		
V. Fire Fighting Measures			
Flammable Limits:	Not determined.		
Flash Point:	Not combustible.		
Extinguishing Media:	Dry chemical, foam, or water fog.		
Firefighting Procedures:	For precaution use self contained breathing apparatus.		
Fire and Explosion Hazards:	No unusual hazards are expected.		
VI. Accidental Release Measures			
May be slippery when wet. Use caution during cleanup. Squeegee or broom spilled material and dispose in accordance with all local, state and federal regulations. Spills may be absorbed by an absorbent material and dispose as solid waste according to your local, state and federal regulations.			
VII. Handling and Storage			
Store material in a cool, dry and well ventilated area Keep containers closed and air tight. Do not freeze.			
VIII. Exposure Controls and Personal Protection			
Ventilation:	General local ventilation, no special precautions.		
Eye Protection:	Wear safety goggles.		
Gloves:	Wear protective gloves to avoid possible skin irritation.		
Clothing:	Wash clothing after use.		
Wash Requirements:	Wash with soap and water.		
Respirator:	None required. Wear protective mask if spraying material and mist exceeds acceptable levels.		
IV. Physical and Chemical Characteristics			
Boiling Point:	>212°F	Vapor Pressure (mm Hg):	(20°C KPA)2.36
Vapor Density (Air = 1):	<1	Solubility in Water:	Soluble
Specific Gravity (H ₂ O = 1):	1.05	Melting Point:	N/A
Evaporation Rate (H ₂ O = 1):	<1	Appearance:	Clear Liquid
Odor:	Mild	Freezing Point:	15 - 20°F
V.O.C. Content:	0 g/l	Auto Ignition:	No
X. Stability and Reactivity			
Stability:	Stable		
Conditions to Avoid:	None known		
Hazardous Decomposition:	None known		
Hazardous Polymerization:	None known		



MATERIAL SAFETY DATA SHEET

Product Name:	Eco-Tuff Rubberized Non Skid Coating	Product Code:	ET2-6000
Emergency Phone #:	1(877)366-7547	MSDS #:	MSDS.ET2.0409.3
Eco Safety Products 2921 W. Culver Street, #4B Phoenix, Arizona 85009 U.S.A. www.ecoprocoat.com T: (602)305-9397 F: (602)305-6431	Health	1	
	Fire	0	
	Reactivity	0	
	Protection		
XI. Toxicological Information			
Route of Entry:	Inhalation. Skin. Eyes.		
Toxicological:	Eye irritant. This product does not contain any ingredient designated by IARC, NTP, ACGIH, or OSHA, as probable or suspected human carcinogens		
XII. Ecological Information			
Aquatic toxicity rating not determined. All possible measures should be taken to prevent release into the environment.			
XIII. Disposal Information			
Disposal of product must be in accordance with all federal, state, and local regulations.			
XIV. Transport Information			
Not Regulated			
XV. Regulatory Information			
Toxic Substances Control Act (TSCA): All applicable ingredients are on the TSCA inventory list.			
OSHA Hazard Communication Standard (29 CFR 1910.1200): None			
California Prop 65: This product contains small amounts of N-Methyl Pyrrolidone, a substance known to the State of California to cause developmental and reproductive toxicity.			
Hazard Category Under SARA (Title III): None			
Status under the Federal Hazardous Substances Act: None			
International Regulations: Consult the regulations of the applicable country of import.			
XVI. Other Information			
THE INFORMATION GIVEN AND RECOMMENDATIONS MADE HEREIN APPLY TO OUR PRODUCT ALONE AND ARE NOT COMBINED WITH OTHER PRODUCTS. ALL SUCH INFORMATION IS BELIEVED TO BE TRUE AND ACCURATE TO THE BEST OF OUR KNOWLEDGE. IT IS THE PURCHASER'S RESPONSIBILITY BEFORE USING ANY PRODUCT TO VERIFY THE OPERATING CONDITIONS AND TO DETERMINE WHETHER THE PRODUCT IS SUITABLE FOR THEIR PURPOSES.			