

SAFETY DATA SHEET

1. Identification			
Product Name:	Eco-Etch Pro Concrete Etcher & Cleaner	Product Identifier:	EE3-8000
Emergency Phone #:	(602)305-9397	Revision Date:	10/14/19
Relevant Uses:	Concrete & Masonry Cleaner/Etcher	Supersedes Date:	01/04/16

Manufacturer:

Eco Safety, Inc.

2921 W. Culver Street, #4B Phoenix, Arizona 85009 U.S.A. T: (602)305-9397 F: (602)305-6431

www.ecosafetyproducts.com or email: info@eco-safety.com Emergency Contact: 1-877-366-7547

2. Hazards Identification

Physical State: Liquid Color: Clear Amber

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

2.1 Classification of the Substance or Mixture

GHS-US Classification

CORROSIVE TO METALS – Category 1

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1

2.2 Label Elements

GHS-US Hazard Pictograms



GHS-US Signal Word: Warning

May be corrosive to mild metals. Causes serious eye damage.

May be corrosive to find metals. Causes serious eye damage.				
GHS-US Hazard Statements				
H302	May be harmful if swallowed.			
H315	May cause skin irritation.			
H319	May cause serious eye irritation.			
H333	May be harmful if inhaled.			
GHS-US Precaution	nary Statements- Prevention			
P102	Keep out of reach of children.			
P103	Read label before use.			
P233	Keep container tightly closed.			
P261	Avoid breathing dust/fumes/gas/mist/vapors/spray.			
P262	Do not get in eyes, on skin, or on clothing.			
P264	Wash hands, arms and face thoroughly after handling.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
GHS-US Precaution	nary Statements- Response			
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.			
P302+P352	IF ON SKIN: Wash with plenty of water. If irritation persists seek medical attention.			
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
P305+P351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do			
	– continue rinsing.			
P308+P313	IF EXPOSED OR CONCERNED: Get medical attention.			
P332+313	IF SKIN IRRITATION OR RASH OCCURS: Get medical advice/attention.			

P337+P313	IF EYE IRRITATION OCCURS: Get medical attention.						
P362	Take off contaminated clothing and wash before reuse.						
P401	Store in a protected environment away from direct sunlight and avoid freezing.						
P404	Store in a close	ed container.					
2.3 Other Hazard None known unde	er normal conditio						
2.4 GHS-US Unk None known.	nown acute toxic	ity					
3. Composition/I	nformation on In	gredients					
3.1 Substance Liquid Mixture.							
Chemical Name		Wt. % Range	CAS#				
Organic Acid Salt	t	30 - 50%	506-89-8				
1.04. First Aid M	leasures						
4.1 Description o	f First Aid Meas	ures					
Eye Contact:	Immediately f	lush eyes with plenty of water for at least 20 m	inutes. If irritation develops, consult a physician				
Skin Contact:	Flush contami	nated skin with plenty of water. Consult a phys	sician if irritation develops.				
Inhalation:	Move exposed	person to fresh air. If irritation persists, get me	edical attention promptly.				
Ingestion:		Do not induce vomiting. If victim is conscious give plenty of water or milk to drink. Call a physician or poison control center immediately.					
5. Fire Fighting	Measures						
5.1 Extinguishin	g Media						
Suitable extinguishing media: Unsuitable extinguishing media: Foam, dry powder, carbon dioxide, water spray, sand. Do not use a heavy water stream.			y, sand.				
Flash Point:							
5.2 Special Hazar	rds Arising from	the Substance or Mixture					
Fire hazard:		At temperatures above 60°C/140°F acid action flammable and explosive gas.	n on most metals may release hydrogen, a highly				
Explosion hazard:	: [Product is not explosive.					
Reactivity: No dangerous reactions known under normal use.			ise.				
5.3 Advice for Fi	refighters						
Firefighting instru	ighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of firefighting water in the environment.						
Protection during	n during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.						
6. Accidental Rel	ease Measures						
6.1 Personal Pre	cautions, Protect	ive Equipment, and Emergency Procedures					
General measures	eneral measures: No specific emergency measures are required other than good laboratory hygiene and safet practices.						
6.1.1 For Non-E	mergency Person	nel					
Protective equipm	• • • • • • • • • • • • • • • • • • • •						
Emergency proce	dures:	Evacuate unnecessary personnel.					
6.1.2 For Emerg	ency Responders						
Protective equipm	Wear suitable protective clothing, gloves, and eye or face protection, approved supplied air respirator, in case of emergency.						
6.2 Environment	tal Precautions						
		waters. Notify authorities if liquid enters sewer	s or public waters. Avoid release to the				

5	G . 1 . 11 . 12 . 12	1 1				
For containment:	streams.					
Methods for cleaning up:		Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations.				
6.4 Reference to Other Section	18					
No additional information avail	able.					
7. Handling and Storage						
7.1 Precautions for Safe Hand	ling					
Precautions:	Wash hands and other exposmoking and when leaving		nd water before eating, drinking or			
7.2 Conditions for Safe Storag	e, Including any Incompatibili	ties				
Technical measures:	Stable (Shelf Life > 2 year	S.				
Storage conditions:	Store in dry, well-ventilate	d area. Keep container close	ed when not in use.			
7.3 Specific End Use(s)						
No additional information avail	able					
8. Exposure Controls and Per	sonal Protection					
8.1 Control Parameters						
Contains no substances with occ	cupational exposure limit values.					
Remark (ACGIH)	OEL's not established	·				
Remark (OSHA)	OEL's not established					
8.2 Exposure Controls						
Appropriate engineering control	ventilation, or other engine exposure limits. Use explo	Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.				
Personal protective equipment:		Protective Goggles. Gloves.				
Hand protection:	occur. Gloves should be cl materials are: Neoprene, N PVC or vinyl. Suitable glo	Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296 Suggested glove materials are: Neoprene, Nitrile/Butadiene rubber, polyethylene, ethyl vinyl alcohol laminate, PVC or vinyl. Suitable gloves for this specific application can be recommended by the glove supplier. Change contaminated gloves immediately.				
Eye protection:		Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid.				
Skin and body protection:	Wear long sleeves, and che	Wear long sleeves, and chemical impervious PPE/coveralls to minimize bodily exposure.				
Respiratory protection:		particulate respirator. When	re vapor or mist exceed PEL's or othe otective equipment.			
9. Physical and Chemical Cha	racteristics					
9.1 Information on Basic Phys	sical and Chemical Properties					
Physical state:	Liquid	Appearance:	Viscous Liquid			
Color:	Yellow	Odor:	Mild			
pH as is:	< 1	Freezing Point:	No data available			
Boiling Point:	100°C (212°F)	Flash Point:	No data available			
Vapor Pressure:	<0.013kPa (<0.1mmHg) [room temperature]	<0.013kPa (<0.1mmHg) Flammability: No data available				
Relative Density:	1.1 (+/-2)	Viscosity-Low Shear:	No data available			

Solubility:	Soluble	;	VOC Conten	t:	0 g/L	
10. Stability and Reactivi	ty					
10.1 Reactivity						
No dangerous reactions kn	own under normal	conditions of	f use.			
10.2 Chemical Stability						
Stable under recommended	l handling and stor	age condition	ns (see section 7).			
10.3 Possibility of Hazard			, , ,			
None known.						
10.4 Conditions to Avoid						
Ignition sources.						
10.5 Incompatible Materi	ials					
Acids. Strong oxidizers.						
10.6 Hazardous Decompo	osition Products					
Carbon oxides (CO, CO2).						
11. Toxicological Inform	ation					
Eco Safety Products does r		The following	ng information is from	the raw materia	als only:	
Information on the likely re			-			
Ingestion:	May cause		Skin corrosion/irrita		May cause mild skin irritation.	
Serious eye damage/irritati			Respiratory		May be harmful if inhaled.	
Germ cell mutagenicity:	Not classif		1 7		Not classified.	
Reproductive toxicity: Not classified.			Specific target organ toxicity: Not classified.			
12. Ecological Information			1 -1			
12.1 Toxicity						
Ecology- general: Aquatic environment.	toxicity rating not	determined.	All possible measures	should be taken	to prevent	release into the
12.2 Persistence/degradal	bility: Readily biod	degradable.				
13. Disposal Information	, ,					
RCRA Classification: If di characteristic. However, un material containing the pro	nder RCRA, it is the	e responsibil m the produc	ity of the product user et should be classified	to determine at as hazardous wa	the time of aste (40 CF	Edisposal, whether a R 261.20-24)
Waste treatment methods: Do not discharge to su No discharge to su			public wastewater systace waters is allowed			ution control authoritie
Waste disposal recommendations:	Dispose	in a safe ma	nner in accordance wi	th local/national	regulation	S.
14. Transportation Infor	mation					
	Domestic (USD	OOT)	International (IMDG)	Air (IA	ΓΑ)	TDG (Canada)
UN Number:	Not Regulate	ed	1760	1760		1760
Proper Shipping Name:	N/A		Corrosive liquid N.O.S. (urea onohydrochloride)	Corrosive N.O.S. (to monohydroc	ırea	Corrosive liquid N.O.S. (urea monohydrochloride
Transport Hazard Class(es):	N/A		8	8		8
D II C	NT/A		TTT	TIT		III

III

No

Packing Group:

Environmental

Hazards:

N/A

No

III

No

III

No

Name	Percent	Fire Hazard	Sudden Release Pressure	of Reactive	e Immediate (Health Haza		Delayed Chronic Health Hazard	
SARA 311/312: Composition/In	formation on	Ingredients:	cute) health hazard					
			n Ingredients: Not	listed				
defects, or any o			or and the second secon	LINE MILE WA			- Isaac Cancer, on di	
California Propo		this product does	s not contain any ch	emicals know	n to the State of Ca	alifornia t	o cause cancer, birth	
15.3 Other Regi		mauon;						
	ilatam: Infa	In Compliance Philippines: In Compliance			ірпапсе			
Australia (NOH China:	18C):	In Complianc		Korea:		In Compliance		
Europe (EINEC		In Complianc		Japan (ENC	S):		•	
U.S. (TSCA):	, , , , , , , , , , , , , , , , , , ,	In Complianc		Canada (CEPA):			In Compliance In Compliance	
	tories – In co		s all components a		•			
15.2 Internation								
SARA 302 Com	•	SARA 313 Components: None SARA 311/312 Hazards: Chronic Health Hazard Immediate Acute Health Hazard					Health Hazard	
All chemical sub Act) Inventory.	stances in this	s product are list	ed in the EPA (Env	ironmental Pro	otection Agency) T	SCA (To	oxic Substance Control	
15.1 US Federal	Regulations							
15. Regulatory	Information							
Transport in but To Annex II of 73/78 and the II	MARPOL	: Not available						
		aluminum only. I orrosive to mild and skin.						
		This material i		corrosive to l and skin.	only. Not corros		only. Not corrosive to mild steel and skin.	
		Exempt under D 49 CFR 173.154		aterial is o aluminum	This materia corrosive to alur		This material is corrosive to aluminum	

Name	Percent	Fire Hazard	Sudden Release of Pressure	Reactive	Immediate (acute) Health Hazard	Delayed Chronic Health Hazard
Organic Salt	30-50%	No	No	No	Yes	No

16. Other Information	
Indication of changes:	Update
Revision date:	10/14/19
Author:	Regulatory Department

Notice: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist.

Disclaimer: As the handling and use of products under user's conditions are beyond our control, no warranty, expressed or implied, including, but not limited to merchantability or fitness for a particular use, is made concerning this product. The user assumes all risk of use or handling whether or not in accordance with any directions or suggestions of the supplier. Seller shall not be liable to purchaser or any other person for loss or damages directly or indirectly arising from the use of our products, from breach of any warranty or from any other cause, the exclusive remedy against the seller being to require replacement or repair of defective goods.